

TILTING PANS



-AluminOX Tilting Pans

Aluminox Tilting Pans

The Aluminox Electric Tilting Pan is a very versatile piece of equipment. It can be used to cook in many different ways (grill and boil) due to its stainless steel surface. It is designed for heavy duty use and it comes in 60, 90 and 130 ltr capacity to match your production requirements.

The cover is made of Stainless steel and it is supported by springs, which can be adjusted over time. The cooking surface is made of 10mm stainless steel for maximum hygiene and it is designed for even heat distribution. It includes an inlet for hot and cold water supply. The legs are height adjustable.

General Characteristics:

- satin finish stainless steel front, back and sides
- pan body 1,5 mm stainless steel, front hinged for tilting.
- coved interior bottom with front type formed pouring lip flanged on both sides for complete spillage control.
- braising pan will empty when raised to top tilt position.
- adjustable cover lift assist will hold hinged cover in any open position set by operator.
- manual pan tilting control with swing away handle (spring loaded) for the 60/90lt model (automatic is optional))
- automatic hydraulic tilting standard for the 130lt model
- thermostatic heat control
- adjustable s/s feet attachable



Aluminox Tilting Pans

On the left the 130ltr tilting pan with automatic tilting TAE9013ASC4

On the right the 90ltr tilting pan with manual tilting TAE9009XSC4

Tilting Pans LINE 700

| MODEL | CAPACITY | DIMENSIONS | POWER | TILTING |
|-------------|----------|-------------|-------------------|---------|
| TAE7006XMC4 | 60 Lt | 800X700X900 | 9kW/400V/50-60/3~ | MANUAL |
| TAE7006XMD4 | 60 Lt | 800X700X900 | 9kW440V/50-60/3~ | MANUAL |



-Aluminor Tilting Pan 130lt with automatic tilting TAE9013ASC4

Tilting Pans LINE 900

| MODEL | CAPACITY | DIMENSIONS | POWER | TILTING |
|-------------|----------|--------------|----------------------|-----------|
| TAE9009XSC4 | 90 Lt | 800X900X900 | 13.5kW/400V/50-60/3~ | MANUAL |
| TAE9009ASC4 | 90 Lt | 800X900X900 | 13.5kW/400V/50-60/3~ | AUTOMATIC |
| TAE9013ASC4 | 130 Lt | 1600X900X900 | 18kW/400V/50-60/3~ | AUTOMATIC |